


Office Pod Series 2

Engineered using an Advanced HEPA Filter



OFFICE POD SERIES 2

Comfortable & Breathable






Advanced air purifying using a HEPA Filter


Inapod Series 2 utilizes the best air ventilation and purifying technology to provide consumers a healthy breathing environment at work.

The HEPA Filter captures airborne particles to cleanse entering air and enhance air quality and lessens allergic responses.

The filtered air has been tested to the ISO 14644-1:2015 Standard.

HEPA Filters are used in applications that require contamination control such as in hospitals, offices, pharmaceutical products and defence industries.















5 sizes available with different configurations

Inapod has become a popular office furniture product in the Australian & Global market.


Series 2 offers a new experience for the workplace. A serene, comfortable and practical solution to improve work efficiency.



New elegant door handle



Ergonomic & exclusive charging ports



Magnetic self closing rubber door seal technology



Motion sensor for energy saving



Air inlet in the ceiling



Air outlet near the floor



Knockout hole for sprinkler



Greenguard Certified

Redefine your working space

Series 2 - S POD


Exterior Size 1000 x 1000 x 2180h

- HEPA Filter Standard
- Magnetic self closing rubber door seal technology
- Automatic self closing door
- UL Greenguard certified









SERIES 2 - S POD - Single person office pod

The Series 2 S POD is a classic pod for a single person. In the serene space, an individual can carry out work that requires a high level of privacy such as making phone calls and video conferencing.

Power and connectivity are seamless, with continuous power supply for your gadgets and direct connection to your office network.

Technical Specifications

Airflow Advanced air purification with HEPA filtration - 1 Set of HEPA filters. Electric Cross flow fans-81 air changes per hour

Shelf Size 710 x 320 x 25mm

Auto Door Automatic self closing door

Door Seal Magnetic self closing rubber door seal technology

Redesigned elegant front handle Handle

Sprinkler Provision for a fire sprinkler head if required with a knock out hole in the ceiling

Door 10mm double laminated glass door

Outlets A/C power, USB-Type A, USB-Type C & Cat 6 charging ports

18W 12Vdc recessed LED strip with dimmer Lighting

Acoustics High acoustic rating - beautifully designed using carefully selected materials with the best

absorption & isolation performance. Weighted Level Difference 28.3dB

Exterior Structural strength wall detail: Electro galvanised 1.2mm thick steel - All structural steel construction **Materials**

Interior

Fire rated and tested fabric materials - electro galvanized 1.2mm thick steel with fire rated acoustic board **Materials**

Fire Rating: Acoustic Board, Carpet and Polyester Foam Fire Rated. Conforms to all Australian & Fire tests

overseas Fire tests **Environment UL** Greengard certified

Mobility Optional castors are an add on feature for S-Pod

Lockable Electric lockable door accessed by Q-code and app. (Option) **Power** Power is connected using a standard wall mounted 240V GPO

All power functions are activated by an energy saving motion sensor with auto turn off after 5 minutes of inactivity Sensor

278kg Weight

Designed with space and quiet


Series 2 - D POD


Exterior Size 2200 x 1250 x 2180h


- HEPA Filter Standard
- Magnetic self closing rubber door seal technology
- Automatic self closing door
- UL Greenguard certified











SERIES 2 - D POD - 1-4 person office pod

The **Series 2 D POD** is perfect for holding zoom meetings, brainstorming sessions, one-on-one conversations, as well as to rest & rejuvenate from the disturbance of a busy and noisy office.

Power and connectivity are seamless, with continuous power supply for your gadgets and direct connection to your office network.

Technical Specifications

Airflow Advanced air purification with HEPA filtration - 2 Set of HEPA filters. Electric Cross flow fans – 59 air changes per hour

• **Shelf Size** 700 x 550 x 25mm

Auto Door
 Automatic self closing door

Door Seal Magnetic self closing rubber door seal technology

Handle Redesigned elegant front handle

Sprinkler
 Provision for a fire sprinkler head if required with a knock out hole in the ceiling

Door
 10mm double laminated glass door

Outlets A/C power, USB-Type A, USB-Type C & Cat 6 charging ports

Lighting
 18W 12Vdc recessed LED strip with dimmer

Acoustics
 High acoustic rating - beautifully designed using carefully selected materials with the best

absorption & isolation performance. Weighted Level Difference 28.3dB

• Exterior Structural strength wall detail: Electro galvanised 1.2mm thick steel - All structural steel construction Materials

 Interior Materials Fire rated and tested fabric materials - electro galvanized 1.2mm thick steel with fire rated acoustic board

Fire tests
 Fire Rating: Acoustic Board, Carpet and Polyester Foam Fire Rated. Conforms to all Australian &

overseas Fire tests

• Environment UL Greengard certified

Mobility Optional castors are an add on feature for D-Pod

Lockable Electric lockable door accessed by Q-code and app. (Option)
 Power Power is connected using a standard wall mounted 240V GPO

• Sensor All power functions are activated by an energy saving motion sensor with auto turn off after 5 minutes of inactivity

Weight 532kg

Designed with ingenuity

Series 2 - W POD

Exterior Size 1400 x 1250 x 2180h

- HEPA Filter Standard
- Magnetic self closing rubber door seal technology
- Automatic self closing door
- UL Greenguard certified






















SERIES 2 - W POD - 1 person work/zoom room

The **Series 2 W POD** has a unique extendable desktop with multiple functions. This ergonomic feature allows you to adjust your working position, while providing a storage space.

This spacious pod is suitable for an individual who wants to work over a long period of time.

Power and connectivity are seamless, with continuous power supply for your gadgets and direct connection to your office network. The desktop provides space for a laptop or a screen can be mounted on the wall above.

Technical Specifications

Airflow Advanced air purification with HEPA filtration - 1 Set of HEPA filters. Electric Cross flow fans-37 air changes per hour

• **Shelf Size** Pull out desk with storage underneath 1040 x 400 x 25mm

Auto Door Automatic self closing door

Door Seal Magnetic self closing rubber door seal technology

• **Handle** Redesigned elegant front handle

• Sprinkler Provision for a fire sprinkler head if required with a knock out hole in the ceiling

Door
 10mm double laminated glass door

Outlets A/C power, USB-Type A, USB-Type C & Cat 6 charging ports

Lighting
 18W 12Vdc recessed LED strip with dimmer

Acoustics High acoustic rating - beautifully designed using carefully selected materials with the best

absorption & isolation performance. Weighted Level Difference 28.3dB

Exterior Structural strength wall detail: Electro galvanised 1.2mm thick steel - All structural steel construction
 Materials

Interior Fire rated and tested fabric materials - electro galvanized 1.2mm thick steel with fire rated acoustic board
 Materials

Fire tests Fire Rating: Acoustic Board, Carpet and Polyester Foam Fire Rated. Conforms to all Australian &

overseas Fire tests

Environment UL Greengard certified

Mobility Optional castors are an add on feature for W-Pod

Lockable Electric lockable door accessed by Q-code and app. (Option)
 Power
 Power is connected using a standard wall mounted 240V GPO

Sensor
 All power functions are activated by an energy saving motion sensor with auto turn off after 5 minutes of inactivity

• **Weight** 405kg

Maximum focus & minimal distraction

Series 2 - C POD

Exterior Size 2400 x 2400 x 2180h

- HEPA Filter Standard
- Magnetic self closing rubber door seal technology
- Automatic self closing door
- UL Greenguard certified



Bare Pod




"L" Lounge Pod



Meeting Pod

3 configurations available





SERIES 2 - C POD - 1—5 person meeting room

The **Series 2 C POD** is designed to fit up to 5 people, ideally for meeting, working or rewinding. The C-POD is perfect for discussion, brainstorming and Zoom calls.

3 selections of furnishing layout are available, (A) Bare Unit, (B) L-Shaped Sofa & (C) Meeting Table with integrated charging ports. A video screen can be mounted on the wall above.

Power and connectivity are seamless, with continuous power supply for your gadgets and direct connection to your office network. The desktop provides space for a laptop or a screen can be mounted on the wall above.

Technical Specifications

- Airflow
 Advanced air purification with HEPA filtration 3 Sets of HEPA filters. Electric Cross flow fans- 43 air changes per hour
- DDA Access Inapod Access pods are available to comply with AS 1428.1 Design for Access & Mobility
- Meeting Pod Boardroom table size 1600 x 750 x 25mm
- 'L' Lounge Pod A 'L' shaped sofa is available for this model
- Door Seal Magnetic self closing rubber door seal technology
- Handle Redesigned elegant front handle
- Sprinkler
 Provision for a fire sprinkler head if required with a knock out hole in the ceiling
- **Door** 10mm double laminated glass door
- Outlets Bare Pod = 2 x A/C power, 1 x USB-Type C & Cat 6 charging ports
 - Meeting Pod = 2 x A/C power, 1 x USB-Type A & Cat 6 + HDMI & Audio Jack
 - Sofa Pod = 2 x A/C power & 1 x USB-Type C Lighting 18W 12Vdc recessed LED strip with dimmer
- Acoustics High acoustic rating beautifully designed using carefully selected materials with the best
 - absorption & isolation performance. Weighted Level Difference 28.3dB
- Exterior Structural strength wall detail: Electro galvanised 1.2mm thick steel All structural steel construction
 Materials
- Interior Fire rated and tested fabric materials electro galvanized 1.2mm thick steel with fire rated acoustic board
- Materials
 Fire tests
 Fire Rating: Acoustic Board, Carpet and Polyester Foam Fire Rated. Conforms to all Australian &
- Sensor
 All power functions are activated by an energy saving motion sensor with auto turn off after 5 minutes of inactivity
- Environment UL Greengard certified
- MobilityN
- Lockable
 Power
 Electric lockable door accessed by Q-code and app. (Option)
 Power is connected using a standard wall mounted 240V GPO
- **Weight** 703kg



Crafted to perfection

Series 2 - M POD

Exterior Size 3000 (4000 & 5000) x 2400 x 2180h

- HEPA Filter Standard
- Magnetic self closing rubber door seal technology
- Automatic self closing door
- UL Greenguard certified



Bare Pod




"L" Shaped Lounge Pod



Meeting Pod







SERIES 2 - M POD - 1-7 person meeting room

The Series 2 M POD is designed to fit up to 7 people. It's comfortable and well-ventilated space can help users to increase work efficiency and productivity.

3 selections of furnishing layout are available, (A) Bare Unit, (B) L-Shaped Sofa & (C) Meeting Table with integrated charging ports. A video screen can be mounted on the wall above.

Power and connectivity are seamless, with continuous power supply for your gadgets and direct connection to your office network. The desktop provides space for a laptop or a screen can be mounted on the wall above.

Technical Specifications

Advanced air purification with HEPA filtration - 3 Sets of HEPA filters. Electric Cross flow fans-31 air changes per hour

DDA Access Inapod Access pods are available to comply with AS 1428.1 Design for Access & Mobility

Meeting Pod Boardroom table size 2200 x 750 x 25mm

'L' Lounge Pod A 'L' shaped sofa is available for this model

Automatic self closing door **Auto Door**

Magnetic self closing rubber door seal technology Door Seal

Handle Redesigned elegant front handle

Provision for a fire sprinkler head if required with a knock out hole in the ceiling Sprinkler

10mm double laminated glass door Door

Bare Pod = $2 \times A/C$ power, $1 \times USB$ -Type C & Cat 6 charging ports Outlets

Meeting Pod = 2 x A/C power, 1 x USB-Type A & Cat 6 + HDMI & Audio Jack

Sofa Pod = $2 \times A/C$ power & $1 \times USB$ -Type C 18W 12Vdc recessed LED strip with dimmer

Lighting High acoustic rating - beautifully designed using carefully selected materials with the best **Acoustics**

absorption & isolation performance. Weighted Level Difference 28.3dB

Structural strength wall detail: Electro galvanised 1.2mm thick steel - All structural steel construction **Materials**

Materials Fire tests Fire Rating: Acoustic Board, Carpet and Polyester Foam Fire Rated. Conforms to all Australian &

overseas Fire tests

Fire rated and tested fabric materials - electro galvanized 1.2mm thick steel with fire rated acoustic board

All power functions are activated by an energy saving motion sensor with auto turn off after 5 minutes of inactivity Sensor

Environment UL Greengard certified Mobility

Lockable Electric lockable door accessed by Q-code and app. (Option) Power Power is connected using a standard wall mounted 240V GPO

Weight

Exterior

Interior



Podcasting Webinar Recording Broadcasting Voice Over





INPOD is designed to accommodate your needs ...

The INAPOD range of PODS are perfect for a variety of applications, both commercial and residential.

The unique modular design and a variety of sizes provide you with maximum flexibility.

So no matter what your use might be, we have a model to suit.

Features

HEPA FILTER - Air purifying system with advanced HEPA filter on all models

AUTO CLOSING DOOR - The door closes automatically after the user has left the unit

MAGNETIC RUBBER DOOR TECHNOLOGY - Soft closing door using a rubber door seal with a magnetic strip inside

ALL METAL CONSTRUCTION - Exterior shell and frame are made from strong metal construction

HIGH ACOUSTIC RATING - Beautifully designed using carefully selected materials with the best absorption and isolation performance. Weighted Level Difference 28.3dB

LED LIGHTING - These automatic LED lights allow for ample internal lighting

POWER & USB CHARGING OUTLETS - Continuous power supply for your gadgets and direct connection to your office network with internal outlets

FIRE, FLAMMABILITY AND SMOKE RATING—The **INAPOD** has been extensively tested to all the relevant Standards

10mm DOUBLE LAMINATED GLASS - The 10mm laminated glass provide excellent attenuation for a perfectly silent and isolated work environment, yet still provides inclusivity via transparent glass

LAMINATED WORKTOP OR WORKING TABLE - In the **S POD** there is a laminated worktop big enough for your laptop, and in the **D POD** there is a large working table in the center of the POD. **W POD** has a unique extendable desktop with storage space, and desk options are available for **C POD** and **M POD**.





Features continued

POWER TO WALL SOCKET - Standard 240V wall plug/socket connection.

COMFORTABLE & BREATHABLE - Work comfortably in a well ventilated space with great acoustic properties.

MOTION SENSOR - The motion sensor detects movement and turns on the fans and lights automatically making the unit extremely energy efficient.


RETRACTABLE & PORTABLE - It is designed to be easily dismantled, moved and re-installed. Optional integrated castors allow for ease of movement when required (S, D & W PODS only)

CAT6 OUTLET - The CAT6 outlet has been added for increased internet speed should it be required.


WIRELESS DIMMER - Light dimmer system allowing for lowering the light intensity for teleconference calls and presentations. Wi-Fi connection to the receiver.











Acoustics

HIGH ACOUSTIC RATING - Beautifully designed and using carefully selected materials with the best absorption and isolation performance. Weighted Level Difference 28.3dB

Independently tested by TUV SUD Group, the INAPOD range of Office/Acoustic Booths feature all metal construction and sound proofing walls with 10mm dual laminated glass walls and doors.

All joints are sealed using rubber sound absorbing extrusions to seal as much noise as possible for the user inside the Pod.

Polyester Fabric Acoustic Board is used inside the unit with Fabric Nylon Carpet on the floors.





Standards/Testing

INAPOD TEST REPORTS

- INAPOD—Tested to the following Fire Standards:
 - Australian Standards AS 1530 Part 3
 - AS 1530 PART 3 (Acoustic Panels)
 - S/NZS 3837 (Wall & Ceiling lining)
 - AS ISO 9239 (Floor Coverings)
 - AS 5637 Group Number 3 (Wall & Ceiling Lining)
- Universal Socket Outlet Test report No. 7191140108-EEC16/PKS.
- Flammability of the Polyester Fiber Acoustic Panel- BS 476 Part 7:1997+Amd.No.C1:2014 Fire Tests on Building Materials & Structures Part 7
- ASTM E662 Smoke Density (Flaming) Standard Test Method for Specific Optical Density of Smoke Generated by Solid Materials also referenced as NFPA 258
- Flame Retardancy Test for Flexible Polyurethane Foam and Fire Retardant Foam
- · Sound Testing:

AS ISO140.4-2006 'Acoustics

AS ISO 717.1-2020 'Acoustics

Sound Testing: ASTM E413-04 "Classification of Rating Sound Insulation.

Inapod Finishes

Colours that influences the soul


EXTERIOR

COLOUR SELECTION



INTERIOR

ACOUSTIC SHEET COLOUR SELECTION



CARPET COLOUR SELECTION



Black



Silver (M POD Only)

SOFA

FABRIC COLOURSELECTION



^{*}Display colours may slightly vary from the actual colours.

Australian and International Testing



NATIONAL

CONSTRUCTION CODE (NCC)





















Underwriters Laboratories

Redefine your working space with Inapod Series 2

